Author Index

Ahima, R.S., Garcia, M.M. and Harlan, R.E.
Glucocorticoid regulation of pre-proenkephalin gene expression in the rat forebrain (16) 119
Åkerman, K.E.O., see Perälä, M. (16) 57
Ala-Uotila, S., see Perälä, M. (16) 57
Anderson, W.R., see Stahl, W.L. (16) 223
Angelotti, T.P., Tan, F., Chahine, K.G. and Macdonald, R.L.
Molecular and electrophysiological characterization of a allelic variant of the rat $\alpha 6$ $GABA_A$ receptor subunit (16) 173
Angeretti, N., see Forloni, G. (16) 128
Araki, T., see Zhang, J.-H. (16) 193
Arany, I., Zhang, X., Loh, H.H. and Lee, N.M.
Antisense proenkephalin cDNA transfection decreases opioid binding in NG 108-15 cells (16) 295
Arneric, S.P., see Giordano, T. (16) 239

Baines, D., Mallon, B.S. and Love, S.
Effects of sodium butyrate on the expression of sodium channels by neuronal cell lines derived from the rat CNS (16) 330
Bendotti, C., see Forloni, G. (16) 128
Bieck, P.R., see Eiring, A. (16) 211
Boddeke, H.W.G.M., see Massieu, L. (16) 88
Breakefield, X.O., see Rosenberg, W.S. (16) 311
Breininger, J.F., see Stahl, W.L. (16) 223
Brooks, P.J., Funabashi, T., Kleopoulos, S.P., Mobbs, C.V. and Pfaff, D.W.
Prolactin receptor messenger RNA is synthesized by the epithelial cells of the choroid plexus (16) 163
Burbach, J.P.H., see Plantinga, L.C. (16) 135

Carlsson, B., see Eriksson, P.S. (16) 345
Carter, D.A.
Neurotransmitter-stimulated immediate-early gene responses are organized through differential post-synaptic receptor mechanisms (16) 111
Casuto, D., see Giordano, T. (16) 239
Chahine, K.G., see Angelotti, T.P. (16) 173
Choi, M.-U., see Park, D.H. (16) 232
Curran, T., see Smeyne, R.J. (16) 158

Danks, A.M., Hammond, D.N., Wainer, B.H., Van Buskirk, R.G. and Isaacson, R.L.
Cellular alterations produced by the experimental increase in intracellular calcium and the nature of protective effects from pretreatment with nimodipine (16) 168
DeAntonio, C., see Rosenberg, W.S. (16) 311
Deeb, S.S., see Fukuchi, K.-i. (16) 37
Deguchi, T., see Oda, Y. (16) 287
Dement, W.C., see Kilduff, T.S. (16) 47
Demicheli, F., see Forloni, G. (16) 128
Dineley-Miller, K. and Patrick, J.
Gene transcripts for the nicotinic acetylcholine receptor subunit, Beta4, are distributed in multiple areas of the rat central nervous system (16) 339
Donaldson, L.F., Harmar, A.J., McQueen, D.S. and Seckl, J.R.
Increased expression of preprotachykinin, calcitonin gene-related peptide, but not vasoactive intestinal peptide messenger RNA in dorsal root ganglia during the development of adjuvant monoarthritis in the rat (16) 143

Eakin, T.J., see Stahl, W.L. (16) 223
Edwards, P.M., see Plantinga, L.C. (16) 135
Eiring, A., Manier, D.H., Bieck, P.R., Howells, R.D. and Sulser, F.
The 'serotonin/norepinephrine link' beyond the β adrenoceptor (16) 211
El-Fakahany, E.E., see Wang, S.-Z. (16) 64
Eriksson, P.S., Carlsson, B., Isaksson, O.G.P., Hansson, E. and Rönnbäck, L.
Regulation of G-PROTEIN mRNA abundancy and cAMP accumulation after long-term opioid incubation in primary cultures of astroglia from the rat cerebral cortex (16) 345
Evinger, M.J., see Iacovitti, L. (16) 215

Filuk, P.E., see Stahl, W.L. (16) 223
Fischer-Colbrie, R., see Mahata, S.K. (16) 1
Fisher, D.A., see Kaser, M.R. (16) 316
Forloni, G., Demicheli, F., Giorgi, S., Bendotti, C. and Angeretti, N.
Expression of amyloid precursor protein mRNAs in endothelial neuronal and glial cells: modulation by interleukin-1 (16) 128
Frostholm, A., Zdilar, D., Luntz-Leybman, V., Janapati, V. and Rotter, A.
Ontogeny of $GABA_A$/benzodiazepine receptor subunit mRNAs in the murine inferior olive: transient appearance of β_3 subunit mRNA and [^{3}H]muscimol binding sites (16) 246
Fukuchi, K.-i., Kamino, K., Deeb, S.S., Furlong, C.E., Sundstrom, J.A., Smith, A.C. and Martin, G.M.
Expression of a carboxy-terminal region of the β-amyloid precursor protein in a heterogeneous culture of neuroblastoma cells: evidence for altered processing and selective neurotoxicity (16) 37
Funabashi, T., see Brooks, P.J. (16) 163
Furlong, C.E., see Fukuchi, K.-i. (16) 37

Garcia, M.M., see Ahima, R.S. (16) 119
Geraerts, W.P.M., see Hoek, R.M. (16) 71
Giordano, T., Pan, J.B., Casuto, D., Watanabe, S. and Arneric, S.P.
Thyroid hormone regulation of NGF, NT-3 and BDNF RNA in the adult rat brain (16) 239
Giorgi, S., see Forloni, G. (16) 128
Gispen, W.H., see Plantinga, L.C. (16) 135
Goto, K., Watanabe, M., Kondo, H., Yuasa, H., Sakane, F. and Kanoh, H.
Gene cloning, sequence, expression and in situ localization of 80 kDa diacylglycerol kinase specific to oligodendrocyte of rat brain (16) 75
Gregor, P., Yang, X., Mano, I., Takemura, M., Teichberg, V.I. and Uhl, G.R.
Organization and expression of the gene encoding chick kainate binding protein, a member of the glutamate receptor family (16) 179
Gregor, P., see Uhl, G.R. (16) 353
Gruber, B., see Mahata, S.K. (16) 1

Hammond, D.N., see Danks, A.M. (16) 168
Hansson, E., see Eriksson, P.S. (16) 345
Harlan, R.E., see Ahima, R.S. (16) 119
Harmar, A.J., see Donaldson, L.F. (16) 143
Hatanaka, H., see Kojima, M. (16) 267
Heller, H.C., see Kilduff, T.S. (16) 47
Herkenham, M., see Hurd, Y.L. (16) 97
Hirvonen, H., see Perälä, M. (16) 57
Ho, J., see Thai, L. (16) 150
Hoek, R.M., Li, K.W., Van Minnen, J. and Geraerts, W.P.M.
Chemical characterization of a novel peptide from the neuroendocrine light yellow cells of *Lymnaea stagnalis* (16) 71
Hong, J.S., see Thai, L. (16) 150
Horn, D.A., Suburo, A., Terenghi, G., Hudson, L.D., Polak, J.M. and Latchman, D.S.
Expression of the tissue specific splicing protein SmN in neuronal cell lines and in regions of the brain with different splicing capacities (16) 13
Howells, R.D., see Eiring, A. (16) 211
Hudson, L.D., see Horn, D.A. (16) 13
Hunt, S.P., see McNaughton, L.A. (16) 261
Hurd, Y.L. and Herkenham, M.
Influence of a single injection of cocaine, amphetamine or GBR 12909 on mRNA expression of striatal neuropeptides (16) 97
Huupponen, R., see Pesonen, U. (16) 255
Huwiler, A., Jung, H.H., Pfeilschifter, J. and Remé, C.E.
Protein kinase C in the rat retina: immunocharacterization of calcium-independent δ, ϵ and ζ isoenzymes (16) 360

Iacovitti, L., Evinger, M.J. and Stull, N.D.
Muscle-derived differentiation factor increases expression of the tyrosine hydroxylase gene and enzyme activity in cultured dopamine neurons from the rat midbrain (16) 215
Ikeuchi, T., see Kojima, M. (16) 267
Isaacson, R.L., see Danks, A.M. (16) 168
Isacson, O., see Rosenberg, W.S. (16) 311
Isaksson, O.G.P., see Eriksson, P.S. (16) 345

Janapati, V., see Frostholm, A. (16) 246
Joh, T.H., see Park, D.H. (16) 232
Jung, H.H., see Huwiler, A. (16) 360

Kalimo, H., see Perälä, M. (16) 57
Kamino, K., see Fukuchi, K.-i. (16) 37
Kanoh, H., see Goto, K. (16) 75
Kaser, M.R., Lakshmanan, J. and Fisher, D.A.
Comparison between epidermal growth factor, transforming growth factor-α and EGF receptor levels in regions of adult rat brain (16) 316
Kato, H., see Umemori, H. (16) 303
Katsuki, M., see Sasaoka, T. (16) 274
Kilduff, T.S., Landel, H.B., Nagy, G.S., Sutin, E.L., Dement, W.C. and Heller, H.C.
Melatonin influences Fos expression in the rat suprachiasmatic (16) 47
Kilgore, M.W., see Lephart, E.D. (16) 187
Kim, K.-T., see Park, D.H. (16) 232
Kimura, M., see Sasaoka, T. (16) 274
Kitayama, S., see Uhl, G.R. (16) 353
Kleopoulos, S.P., see Brooks, P.J. (16) 163
Kobayashi, K., see Sasaoka, T. (16) 274
Kojima, M., Takahashi, N., Ikeuchi, T. and Hatanaka, H.
Nerve growth factor (NGF)-mediated up-regulation of low-affinity NGF receptor gene expression in cultured basal forebrain cholinergic neurons from postnatal 3-day-old rats (16) 267
Kondo, H., see Goto, K. (16) 75
Kondo, H., see Sakagami, H. (16) 20
Koulu, M., see Pesonen, U. (16) 255

Lakshmanan, J., see Kaser, M.R. (16) 316
Landel, H.B., see Kilduff, T.S. (16) 47
Latchman, D.S., see Horn, D.A. (16) 13
Lee, N.M., see Arany, I. (16) 295
Lee, P.H.K., see Thai, L. (16) 150
Lephart, E.D., Simpson, E.R., McPhaul, M.J., Kilgore, M.W., Wilson, J.D. and Ojeda, S.R.
Brain aromatase cytochrome P-450 messenger RNA levels and enzyme activity during prenatal and perinatal development in the rat (16) 187
Li, K.W., see Hoek, R.M. (16) 71
Loh, H.H., see Arany, I. (16) 295
Love, S., see Baines, D. (16) 330
Luntz-Leybman, V., see Frostholm, A. (16) 246

Macdonald, R.L., see Angelotti, T.P. (16) 173
Mahata, M., see Mahata, S.K. (16) 1
Mahata, S.K., Marksteiner, J., Sperk, G., Mahata, M., Gruber, B., Fischer-Colbrie, R. and Winkler, H.
Temporal lobe epilepsy of the rat: differential expression of mRNAs of chromogranin B, secretogranin II, synaptin/synaptophysin and p65 in subfields of the hippocampus (16) 1
Mallon, B.S., see Baines, D. (16) 330
Manier, D.H., see Eiring, A. (16) 211
Mano, I., see Gregor, P. (16) 179
Marksteiner, J., see Mahata, S.K. (16) 1
Martin, G.M., see Fukuchi, K.-i. (16) 37
Mash, D.C., see Wang, S.-Z. (16) 64
Massieu, L., Rocamora, N., Palacios, J.M. and Boddeke, H.W.G.M.
Administration of quinolinic acid in the rat hippocampus induces expression of c-*fos* and NGFI-A (16) 88
McNaughton, L.A. and Hunt, S.P.
Regulation of gene expression in astrocytes by excitatory amino acids (16) 261
McPhaul, M.J., see Lephart, E.D. (16) 187
McQueen, D.S., see Donaldson, L.F. (16) 143
Mehta, A.K. and Ticku, M.K.
Chronic GABA exposure down-regulates GABA-benzodiazepine receptor-ionophore complex in cultured cerebral cortical neurons (16) 29
Miledi, R., see Woodward, R.M. (16) 204
Mobbs, C.V., see Brooks, P.J. (16) 163
Morales, A. and Sumikawa, K.
Desensitization of junctional and extrajunctional nicotinic ACh receptors expressed in *Xenopus* oocytes (16) 323
Morgan, J.I., see Smeyne, R.J. (16) 158

Nagatsu, I., see Sasaoka, T. (16) 274
Nagatsu, T., see Sasaoka, T. (16) 274
Nagy, G.S., see Kilduff, T.S. (16) 47
Nakanishi, I., see Oda, Y. (16) 287
Nanthakumar, E., see Uhl, G.R. (16) 353
Nomura, T., see Sasaoka, T. (16) 274

Oda, Y., Nakanishi, I. and Deguchi, T.
A complementary DNA for human choline acetyltransferase induces two forms of enzyme with different molecular weights in cultured cells (16) 287
Ojeda, S.R., see Lephart, E.D. (16) 187
Owens Jr., J.W.M., see Stahl, W.L. (16) 223
Ozawa, S., see Tsuzuki, K. (16) 105

Palacios, J.M., see Massieu, L. (16) 88
Pan, J.B., see Giordano, T. (16) 239
Park, D.H., Kim, K.-T., Choi, M.-U., Samanta, H. and Joh, T.H.
Characterization of bovine aromatic L-amino acid decarboxylase expressed in a mouse cell line: comparison with native enzyme (16) 232
Patrick, J., see Dineley-Miller, K. (16) 339
Perälä, M., Hirvonen, H., Kalimo, H., Ala-Uotila, S., Regan, J.W., Åkerman, K.E.O. and Scheinin, M.
Differential expression of two α_2-adrenergic receptor subtype mRNAs in human tissues (16) 57
Persico, A., see Uhl, G.R. (16) 353
Pesonen, U., Huupponen, R., Rouru, J. and Koulu, M.
Hypothalamic neuropeptide expression after food restriction in Zucker rats: evidence of persistent neuropeptide Y gene activation (16) 255
Pfaff, D.W., see Brooks, P.J. (16) 163
Pfeilschifter, J., see Huwiler, A. (16) 360
Plantinga, L.C., Verhaagen, J., Edwards, P.M., Schrama, L.H., Burbach, J.P.H. and Gispen, W.H.
Expression of the pro-opiomelanocortin gene in dorsal root ganglia, spinal cord and sciatic nerve after sciatic nerve crush in the rat (16) 135
Polak, J.M., see Horn, D.A. (16) 13

Regan, J.W., see Perälä, M. (16) 57
Remé, C.E., see Huwiler, A. (16) 360
Rocamora, N., see Massieu, L. (16) 88
Rönnbäck, L., see Eriksson, P.S. (16) 345
Rosenberg, W.S., Breakefield, X.O., DeAntonio, C. and Isacson, O.
Authentic and artifactual detection of the *E. coli lacZ* gene product in the rat brain by histochemical methods (16) 311
Rotter, A., see Frostholm, A. (16) 246
Rouru, J., see Pesonen, U. (16) 255

Sakagami, H., Watanabe, M. and Kondo, H.
Gene expression of Ca^{2+}/calmodulin-dependent protein kinase of the cerebellar granule cell type or type IV in the mature and developing rat brain (16) 20
Sakane, F., see Goto, K. (16) 75
Samanta, H., see Park, D.H. (16) 232
Sasaoka, T., Kobayashi, K., Nagatsu, I., Takahashi, R., Kimura, M., Yokoyama, M., Nomura, T., Katsuki, M. and Nagatsu, T.
Analysis of the human tyrosine hydroxylase promoter–chloramphenicol acetyltransferase chimeric gene expression in transgenic mice (16) 274
Sato, M., see Zhang, J.-H. (16) 193
Scheinin, M., see Perälä, M. (16) 57
Schrama, L.H., see Plantinga, L.C. (16) 135
Seckl, J.R., see Donaldson, L.F. (16) 143
Shimada, S., see Uhl, G.R. (16) 353
Shine, J., see Townsend-Nicholson, A. (16) 365
Simpson, E.R., see Lephart, E.D. (16) 187
Smeyne, R.J., Curran, T. and Morgan, J.I.
Temporal and spatial expression of a *fos-lacZ* transgene in the developing nervous system (16) 158
Smith, A.C., see Fukuchi, K.-i. (16) 37
Sperk, G., see Mahata, S.K. (16) 1
Stahl, W.L., Eakin, T.J., Owens Jr., J.W.M., Breininger, J.F., Filuk, P.E. and Anderson, W.R.
Plasma membrane Ca^{2+}-ATPase isoforms: distribution of mRNAs in rat brain by in situ hybridization (16) 223
Stull, N.D., see Iacovitti, L. (16) 215
Suburo, A., see Horn, D.A. (16) 13
Suh, H., see Thai, L. (16) 150
Sulser, F., see Eiring, A. (16) 211
Sumikawa, K., see Morales, A. (16) 323
Sundstrom, J.A., see Fukuchi, K.-i. (16) 37
Sutin, E.L., see Kilduff, T.S. (16) 47

Takahashi, N., see Kojima, M. (16) 267
Takahashi, R., see Sasaoka, T. (16) 274
Takemura, M., see Gregor, P. (16) 179
Takeuchi, M., see Umemori, H. (16) 303

Takeuchi, T., see Tsuzuki, K. (16) 105
Tan, F., see Angelotti, T.P. (16) 173
Teichberg, V.I., see Gregor, P. (16) 179
Terenghi, G., see Horn, D.A. (16) 13
Thai, L., Lee, P.H.K., Ho, J., Suh, H. and Hong, J.S.
Regulation of prodynorphin gene expression in the hippocampus by glucocorticoids (16) 150
Ticku, M.K., see Mehta, A.K. (16) 29
Tohyama, M., see Umemori, H. (16) 303
Tohyama, M., see Zhang, J.-H. (16) 193
Townsend-Nicholson, A. and Shine, J.
Molecular cloning and characterisation of a human brain A_1 adenosine receptor cDNA (16) 365
Tsuzuki, K., Takeuchi, T. and Ozawa, S.
Agonist- and subunit-dependent potentiation of glutamate receptors by a nootropic drug aniracetam (16) 105

Uhl, G.R., Kitayama, S., Gregor, P., Nanthakumar, E., Persico, A. and Shimada, S.
Neurotransmitter transporter family cDNAs in a rat midbrain library: 'orphan transporters' suggest sizable structural variations (16) 353
Uhl, G.R., see Gregor, P. (16) 179
Umemori, H., Wanaka, A., Kato, H., Takeuchi, M., Tohyama, M. and Yamamoto, T.
Specific expressions of Fyn and Lyn, lymphocyte antigen receptor-associated tyrosine kinases, in the central nervous system (16) 303

Van Buskirk, R.G., see Danks, A.M. (16) 168
Van Minnen, J., see Hoek, R.M. (16) 71
Verhaagen, J., see Plantinga, L.C. (16) 135

Wainer, B.H., see Danks, A.M. (16) 168
Wanaka, A., see Umemori, H. (16) 303
Wang, S.-Z., Zhu, S.-Z., Mash, D.C. and El-Fakahany, E.E.
Comparison of the concentration of messenger RNA encoding four muscarinic receptor subtypes in control and Alzheimer brains (16) 64
Watanabe, M., see Goto, K. (16) 75
Watanabe, M., see Sakagami, H. (16) 20
Watanabe, S., see Giordano, T. (16) 239
Wilson, J.D., see Lephart, E.D. (16) 187
Winkler, H., see Mahata, S.K. (16) 1
Woodward, R.M. and Miledi, R.
Sensitivity of *Xenopus* oocytes to changes in extracellular pH: possible relevance to proposed expression of atypical mammalian $GABA_B$ receptors (16) 204

Yamamoto, T., see Umemori, H. (16) 303
Yang, X., see Gregor, P. (16) 179
Yokoyama, M., see Sasaoka, T. (16) 274
Yuasa, H., see Goto, K. (16) 75

Zdilar, D., see Frostholm, A. (16) 246
Zhang, J.-H., Sato, M., Araki, T. and Tohyama, M.
Postnatal ontogenesis of neurons containing $GABA_A$ α_1 subunit mRNA in the rat forebrain (16) 193
Zhang, X., see Arany, I. (16) 295
Zhu, S.-Z., see Wang, S.-Z. (16) 64